

## **Geometry**

LSSM – Geometry		Exp	Explicit Component(s) of Rigor		
Code	Standard	Conceptual Understanding	Procedural Skill and Fluency	Application	
GM: G-CO.A.1	Know precise definitions of angle, circle, perpendicular line, parallel line, and line segment, based on the undefined notions of point, line, distance along a line, and distance around a circular arc.	<b>√</b>			
GM: G-CO.A.2	Represent transformations in the plane using, e.g., transparencies, tracing paper, or geometry software; describe transformations as functions that take points in the plane as inputs and give other points as outputs. Compare transformations that preserve distance and angle to those that do not (e.g., translation versus horizontal stretch).	<b>√</b>			
GM: G-CO.A.3	Given a rectangle, parallelogram, trapezoid, or regular polygon, <u>describe</u> the rotations and reflections that carry it onto itself.	✓	✓		
GM: G-CO.A.4	<u>Develop</u> definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments.	<b>√</b>			
GM: G-CO.A.5	Given a geometric figure and a rotation, reflection, or translation, <u>draw</u> the transformed figure using, e.g., graph paper, tracing paper, or geometry software. <u>Specify</u> a sequence of transformations that will carry a given figure onto another.	<b>√</b>	<b>√</b>		
GM: G-CO.B.6	<u>Use geometric descriptions of rigid motions</u> to <u>transform</u> figures and to <u>predict</u> the effect of a given rigid motion on a given figure; given two figures, <u>use</u> the definition of congruence in terms of rigid motions to <u>decide</u> if they are congruent.	<b>√</b>	<b>√</b>		
GM: G-CO.B.7	<u>Use</u> the definition of congruence in terms of rigid motions to <u>show</u> that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	✓			
GM: G-CO.B.8	Explain how the criteria for triangle congruence (ASA, SAS, and SSS) follow from the definition of congruence in terms of rigid motions.	✓			
GM: G-CO.C.9	Prove and apply theorems about lines and angles. Theorems include: vertical angles are congruent; when a transversal crosses parallel lines, alternate interior angles are congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints.	<b>√</b>	<b>√</b>		
GM: G-CO.C.10	Prove and apply theorems about triangles. Theorems include: measures of interior angles of a triangle sum to 180°; base angles of isosceles triangles are congruent; the segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point.	<b>√</b>	<b>√</b>		







	<u>Prove and apply</u> theorems about parallelograms. <i>Theorems include: opposite sides are congruent,</i>		_	
GM: G-CO.C.11	opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely,	✓	✓	
	rectangles are parallelograms with congruent diagonals.			
	Make formal geometric constructions with a variety of tools and methods, e.g., compass and			
014 0 00 0 40	straightedge, string, reflective devices, paper folding, or dynamic geometric software. Examples:		,	
GM: G-CO.D.12	Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing		<b>√</b>	
	perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line			
	parallel to a given line through a point not on the line.			
GM: G-CO.D.13	<u>Construct</u> an equilateral triangle, a square, and a regular hexagon inscribed in a circle.		<b>√</b>	
GM: G-SRT.A.1	<u>Verify experimentally</u> the properties of dilations given by a center and a scale factor:	✓		
GM: G-SRT.A.1a	A dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a	,		
GIVI: G-SKT.A.1a	line passing through the center unchanged.	✓		
GM: G-SRT.A.1b	The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	✓		
	Given two figures, use the definition of similarity in terms of similarity transformations to decide if			
	they are similar; explain using similarity transformations the meaning of similarity for triangles as		_	
GM: G-SRT.A.2	the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs	✓	✓	
	of sides.			
CAA, C CDT A 2	<u>Use the properties of similarity transformations</u> to <u>establish</u> the AA criterion for two triangles to be	,		
GM: G-SRT.A.3	similar.	✓		
	Prove and apply theorems about triangles. Theorems include: a line parallel to one side of a			
GM: G-SRT.B.4	triangle divides the other two proportionally, and conversely; the Pythagorean Theorem proved	✓	✓	
	using triangle similarity; SAS similarity criteria, SSS similarity criteria, AA similarity criteria.			
GM: G-SRT.B.5	<u>Use congruence and similarity criteria for triangles</u> to <u>solve problems</u> and to <u>prove relationships</u> in	✓	,	,
divi. d-3K1.B.3	geometric figures.	<b>V</b>	<b>V</b>	<b>V</b>
	<u>Understand</u> that by similarity, side ratios in right triangles, including special right triangles (30-60-			
GM: G-SRT.C.6	90 and 45-45-90), are properties of the angles in the triangle, leading to definitions of	✓		
	trigonometric ratios for acute angles.			
GM: G-SRT.C.7	Explain and use the relationship between the sine and cosine of complementary angles.	✓	✓	
	<u>Use</u> trigonometric ratios and the Pythagorean Theorem to <u>solve</u> right triangles in <u>applied</u>			
GM: G-SRT.C.8	problems.*			✓
	problems.			
GM: G-C.A.1	Prove that all circles are similar.	✓		
	<u>Identify and describe</u> relationships among inscribed angles, radii, and chords, including the			
GM: G-C.A.2	following: the relationship that exists between central, inscribed, and circumscribed angles;	✓		
GIVI. G C.A.Z	inscribed angles on a diameter are right angles; and a radius of a circle is perpendicular to the	•		
	tangent where the radius intersects the circle.			







GM: G-C.A.3	<u>Construct</u> the inscribed and circumscribed circles of a triangle, and <u>prove</u> properties of angles for a quadrilateral inscribed in a circle.	✓	<b>√</b>	
GM: G-C.B.5	<u>Use similarity</u> to <u>determine</u> that the length of the arc intercepted by an angle is proportional to the radius, and <u>define</u> the radian measure of the angle as the constant of proportionality; <u>derive</u> the formula for the area of a sector.	<b>√</b>	<b>√</b>	
GM: G-GPE.A.1	<u>Derive</u> the equation of a circle of given center and radius <u>using</u> the Pythagorean Theorem; <u>complete the square</u> to <u>find</u> the center and radius of a circle given by an equation.		<b>√</b>	
GM: G-GPE.B.4	<u>Use coordinates</u> to <u>prove</u> simple geometric theorems <u>algebraically</u> . For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on the circle centered at the origin and containing the point (0, 2).		<b>√</b>	
GM: G-GPE.B.5	<u>Prove</u> the slope criteria for parallel and perpendicular lines and <u>use them</u> to <u>solve geometric</u> <u>problems</u> (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point).	<b>√</b>	✓	
GM: G-GPE.B.6	<u>Find</u> the point on a directed line segment between two given points that partitions the segment in a given ratio.	<b>✓</b>	✓	
GM: G-GPE.B.7	<u>Use coordinates</u> to <u>compute</u> perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula.*		✓	
GM: G-GMD.A.1	<u>Give an informal argument</u> , e.g., dissection arguments, Cavalieri's principle, and informal limit arguments, for the formulas for the circumference of a circle, area of a circle, volume of a cylinder, pyramid, and cone.	<b>√</b>		
GM: G-GMD.A.3	<u>Use volume formulas</u> for cylinders, pyramids, cones, and spheres to <u>solve problems</u> . *		<b>✓</b>	✓
GM: G-GMD.B.4	<u>Identify</u> the shapes of two-dimensional cross-sections of three-dimensional objects, and <u>identify</u> three-dimensional objects generated by rotations of two-dimensional objects.	✓		
GM: G-MG.A.1	<u>Use</u> geometric shapes, their measures, and their properties to <u>describe</u> objects (e.g., modeling a tree trunk or a human torso as a cylinder). *	<b>✓</b>		
GM: G-MG.A.2	Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). *			✓
GM: G-MG.A.3	Apply geometric methods to <u>solve design problems</u> (e.g., designing an object or structure to satisfy physical constraints or minimize cost; working with typographic grid systems based on ratios). *			<b>√</b>
GM: S-CP.A.1	<u>Describe</u> events as subsets of a sample space (the set of outcomes) <u>using characteristics</u> (or categories) of the outcomes, or as unions, intersections, or complements of other events ("or," "and," "not"). *	<b>√</b>		







GM: S-CP.A.2	<u>Understand</u> that two events <i>A</i> and <i>B</i> are independent if the probability of <i>A</i> and <i>B</i> occurring together is the product of their probabilities, and <u>use this characterization</u> to <u>determine</u> if they are independent.	✓	✓	
GM: S-CP.A.3	<u>Understand</u> the conditional probability of $A$ given $B$ as $P(A \text{ and } B)/P(B)$ , and <u>interpret</u> independence of $A$ and $B$ as saying that the conditional probability of $A$ given $B$ is the same as the probability of $A$ , and the conditional probability of $B$ given $A$ is the same as the probability of $B$ .	<b>✓</b>		
GM: S-CP.A.4	Construct and interpret two-way frequency tables of data when two categories are associated with each object being classified. Use the two-way table as a sample space to decide if events are independent and to approximate conditional probabilities. For example, collect data from a random sample of students in your school on their favorite subject among math, science, and English. Estimate the probability that a randomly selected student from your school will favor science given that the student is in tenth grade. Do the same for other subjects and compare the results. *	<b>✓</b>	<b>✓</b>	<b>√</b>
GM: S-CP.A.5	Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer.	<b>✓</b>		
GM: S-CP.B.6	Find the conditional probability of A given B as the fraction of B's outcomes that also belong to A, and interpret the answer in terms of the model.*	<b>✓</b>	<b>✓</b>	✓
GM: S-CP.B.7	Apply the Addition Rule, $P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$ , and interpret the answer in terms of the model. *	<b>✓</b>	<b>✓</b>	<b>√</b>

<sup>\*</sup>Modeling standard

